

L Number	Hits	Search Text	DB	Time stamp
2	1193	("cell data" OR spreadsheet\$2 OR excel!) NEAR2 (submit\$5 OR input\$5 OR register\$5 OR pars\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/30 13:28
3	11492	(register\$4 OR registration\$2) NEAR2 (document\$2 OR text! OR page\$2 OR site! OR sites!)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/30 13:21
4	35	((("cell data" OR spreadsheet\$2 OR excel!) NEAR2 (submit\$5 OR input\$5 OR register\$5 OR pars\$4)) AND ((register\$4 OR registration\$2) NEAR2 (document\$2 OR text! OR page\$2 OR site! OR sites!)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/30 13:21
5	23	((("cell data" OR spreadsheet\$2 OR excel!) NEAR2 (submit\$5 OR input\$5 OR register\$5 OR pars\$4)) AND ((register\$4 OR registration\$2) NEAR2 (document\$2 OR text! OR page\$2 OR site! OR sites!))) NOT @AD>19991230	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/30 13:27
6	16	("cell data" OR spreadsheet\$2 OR excel!) SAME ((register\$4 OR registration\$2) NEAR2 (document\$2 OR text! OR page\$2 OR site! OR sites!))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/30 13:30
7	1193	("cell data" OR spreadsheet\$2 OR excel!) NEAR2 (submit\$5 OR input\$5 OR register\$5 OR pars\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/30 13:33
8	3	((("cell data" OR spreadsheet\$2 OR excel!) NEAR2 (submit\$5 OR input\$5 OR register\$5 OR pars\$4)) NEAR20 quer\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/30 13:51
9	1345	"data warehouse" OR "data mart" OR datamart\$2	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/30 13:53
10	33	("data warehouse" OR "data mart" OR datamart\$2) SAME trigger\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/30 13:58
11	14	((("data warehouse" OR "data mart" OR datamart\$2) SAME trigger\$5) NOT @AD>19991033	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/30 13:55
12	6	("data warehouse" OR "data mart" OR datamart\$2) AND ((failure! ORrecover\$4) SAME trigger\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/30 13:59

15	22	(match\$4 NEAR2 (attribute\$2 OR field\$2)) SAME (directory! OR hierarch\$4 OR tree\$2 OR container\$2) SAME index\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/04/30 15:04
----	----	---	---	------------------



[> home](#) [> about](#) [> feedback](#) [> login](#)

US Patent & Trademark Office

Advanced Search

Enter words or phrases separated by commas.

All words include stemmed variations unless they are enclosed in "double quotes".

Use only lower case, unless case sensitivity is required.

All items entered will be used as the search criteria. (AND)

Desired Results:

must have all of the words or phrases

"relevant document",web

must have any of the words or phrases

must have none of the words or phrases

Only search in:

☐ Title ☐ Abstract ☐ Review

*Searches will be performed on all available information, including full text where available, unless specified above.

ISBN / ISSN: ☒ Exact ☐ Expand

Published:

By: ☒ any ☐ all ☐ none

In: ☒ any ☐ all ☐ none

Since:


Month

Year

Before:

December

1999



EAST - [default.wsp:1]

File View Edit Tools Window Help

BR9: 5 ADN

Pending

Active

- L1: (7525) (similar! OR relevant!) NEAR3 (document\$2
- L2: (2087) 1 SAME (database\$2 OR repository! OR "dat
- L3: (496) 1 SAME (gather\$5 OR crawl\$4 OR index\$4)
- L5: (214) 2 AND 3 NOT @AD>19991230
- L6: (226) ((add! OR adding! OR added! OR addition\$2
- L7: (7794) match\$4 NEAR2 (attribute\$2 OR field\$2)
- L8: (53) 6 AND 7
- L9: (5) 8 AND placeholder\$2
- L10: (16) 7 SAME placeholder\$2
- L11: (4) 7 SAME (directory! OR hierarch\$4 OR tree\$2)
- L12: (0) auxiliary! NEAR5 index\$4
- L13: (367) 7 SAME (directory! OR hierarch\$4 OR tree\$2
- L14: (0) 7 SAME (directory! OR hierarch\$4 OR tree\$2
- L15: (22) 7 SAME (directory! OR hierarch\$4 OR tree\$2
- L16: (25362) (attribute\$2 OR field\$2) NEAR20 (direct
- L17: (261) 7 SAME 16
- L18: (80) 17 AND (new\$2 NEAR2 (added! OR append\$4))
- L19: (47) 18 NOT @AD>19991230
- L20: (9) 17 AND ((new\$2 NEAR2 (added! OR append\$4))
- L21: (6) harvey-richard\$.IN. AND 7

Search List Browse Queue Clear

DB: USPAT:US-PGPUB:EPQ:JPD:DERWENT:IRM_YDR

Default operator: OR

Highlight all hit terms initially

5 ADN

BR9 term SAR term Image Text HTML

U	1	Document ID	Issue Date	Pages	Title	Current OR	Current XRef	Retrieval Ol	Inventor	S	C	P
---	---	-------------	------------	-------	-------	------------	--------------	--------------	----------	---	---	---

Ready

NUM

L Number	Hits	Search Text	DB	Time stamp
1	7525	(similar! OR relevant!) NEAR3 (document\$2 OR (web! ADJ2 (site\$2 OR page\$2)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/30 14:29
2	2087	((similar! OR relevant!) NEAR3 (document\$2 OR (web! ADJ2 (site\$2 OR page\$2)))) SAME (database\$2 OR repository! OR "data base" OR list! OR table! OR file! OR files!)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/30 14:33
3	496	((similar! OR relevant!) NEAR3 (document\$2 OR (web! ADJ2 (site\$2 OR page\$2)))) SAME (gather\$5 OR crawl\$4 OR index\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/30 14:39
5	214	((similar! OR relevant!) NEAR3 (document\$2 OR (web! ADJ2 (site\$2 OR page\$2)))) SAME (database\$2 OR repository! OR "data base" OR list! OR table! OR file! OR files!) AND (((similar! OR relevant!) NEAR3 (document\$2 OR (web! ADJ2 (site\$2 OR page\$2)))) SAME (gather\$5 OR crawl\$4 OR index\$4)) NOT @AD>19991230	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/30 14:48
6	226	((add! OR adding! OR added! OR addition\$2 OR append\$4) NEAR2 (attribute\$2 OR field\$2)) NEAR5 (directory! OR hierarch\$4 OR tree\$2)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/30 14:58
7	7794	match\$4 NEAR2 (attribute\$2 OR field\$2)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/30 14:55
8	53	((add! OR adding! OR added! OR addition\$2 OR append\$4) NEAR2 (attribute\$2 OR field\$2)) NEAR5 (directory! OR hierarch\$4 OR tree\$2) AND (match\$4 NEAR2 (attribute\$2 OR field\$2))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/30 14:55
9	5	((add! OR adding! OR added! OR addition\$2 OR append\$4) NEAR2 (attribute\$2 OR field\$2)) NEAR5 (directory! OR hierarch\$4 OR tree\$2) AND (match\$4 NEAR2 (attribute\$2 OR field\$2)) AND placeholder\$2	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/30 14:57
10	16	(match\$4 NEAR2 (attribute\$2 OR field\$2)) SAME placeholder\$2	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/30 14:57
11	4	(match\$4 NEAR2 (attribute\$2 OR field\$2)) SAME (directory! OR hierarch\$4 OR tree\$2) SAME append\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/30 15:00
12	0	auxiliary! NEAR5 index\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/30 15:00
13	367	(match\$4 NEAR2 (attribute\$2 OR field\$2)) SAME (directory! OR hierarch\$4 OR tree\$2 OR container\$2)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/30 15:01
14	0	(match\$4 NEAR2 (attribute\$2 OR field\$2)) SAME (directory! OR hierarch\$4 OR tree\$2 OR container\$2) SAME index\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/30 15:01

	Type	L #	Hits	Search Text	DBs	Time Stamp
1	BRS	L2	1193	("cell data" OR spreadsheet\$2 OR excel!) NEAR2 (submit\$5 OR input\$5 OR register\$5 OR pars\$4)	USPAT; US-PGP UB; EPO; JPO; DERWEN T; IBM_TD B	2003/04/30 13:28
2	BRS	L3	11492	(register\$4 OR registration\$2) NEAR2 (document\$2 OR text! OR page\$2 OR site! OR sites!)	USPAT; US-PGP UB; EPO; JPO; DERWEN T; IBM_TD B	2003/04/30 13:21
3	BRS	L4	35	2 AND 3	USPAT; US-PGP UB; EPO; JPO; DERWEN T; IBM_TD B	2003/04/30 13:21
4	BRS	L5	23	4 NOT @AD>19991230	USPAT; US-PGP UB; EPO; JPO; DERWEN T; IBM_TD B	2003/04/30 13:27
5	BRS	L6	16	("cell data" OR spreadsheet\$2 OR excel!) SAME 3	USPAT; US-PGP UB; EPO; JPO; DERWEN T; IBM_TD B	2003/04/30 13:30
6	BRS	L7	1193	("cell data" OR spreadsheet\$2 OR excel!) NEAR2 (submit\$5 OR input\$5 OR register\$5 OR pars\$4)	USPAT; US-PGP UB; EPO; JPO; DERWEN T; IBM_TD B	2003/04/30 13:33

PAT-NO: JP02002049638A

DOCUMENT-IDENTIFIER: JP 2002049638 A

TITLE: DOCUMENT INFORMATION RETRIEVAL DEVICE, METHOD, DOCUMENT
INFORMATION RETRIEVAL PROGRAM AND COMPUTER READABLE
RECORDING MEDIUM STORING DOCUMENT INFORMATION RETRIEVAL
PROGRAM

PUBN-DATE: February 15, 2002

INVENTOR-INFORMATION:

NAME

ABE, SEIICHIRO

COUNTRY

N/A

ASSIGNEE-INFORMATION:

NAME

FUJITSU LTD

COUNTRY

N/A

APPL-NO: JP2001131097

APPL-DATE: April 27, 2001

INT-CL (IPC): G06F017/30

ABSTRACT:

PROBLEM TO BE SOLVED: To retrieve a document similar to a document that is not registered in a retrieval database by a simple operation quickly.

SOLUTION: This document information retrieval device retrieves document information in a server 10 and replies on the basis of a retrieval request from a client 12, and when a retrieval condition designating part 26 in the client 12 designates a document file as a retrieval condition, transmits the designated contents of the file through a network. A document retrieving part 30 in a retrieval machine 20 installed on the server 10 side generates a key word from the contents of the file transmitted from the retrieval condition designating part 26, and retrieves a similar document by an index (important word string extracted from a retrieval subject document 25).

COPYRIGHT: (C)2002,JPO